

Hole ID	Sample ID	from (m)	to (m)	width (m)	10000		10000		\$/oz	\$/oz	\$/lb	\$/lb	\$TOTAL	AgEq (g/t)		
					Au (g/t)	Ag (g/t)	Pb	Pb%	Zn	Zn%	1200	15			1	1.25
					Au (g/t)	Ag (g/t)	Pb	Pb%	Zn	Zn%	Au\$	Ag\$	Pb	Zn		
M-DDH-18-03	FME 52659	120	125	5.0	0.0005	82.5	505	0.0505	1470	0.147	0	40	1.11	4.04	45	93.2
M-DDH-18-03	FME 52660	129.57	130.37	0.8	0.0005	29.6	206	0.0206	614	0.0614	0	14	0.45	1.69	16	34.1
M-DDH-18-03	FME 53058	130.37	131.53	1.16	0.0005	11.4	74.5	0.00745	404	0.0404	0	5	0.16	1.11	7	14.1
M-DDH-18-03	FME 53059	131.53	133.03	1.5	0.0005	6.53	37.6	0.00376	163	0.0163	0	3	0.08	0.45	4	7.7
M-DDH-18-03	FME 53061	133.03	134.53	1.5	0.0005	9.21	41.8	0.00418	279	0.0279	0	4	0.09	0.77	5	11.0
M-DDH-18-03	FME 53062	134.53	135.86	1.33	0.0005	18.45	90.8	0.00908	519	0.0519	0	9	0.20	1.43	11	21.9
M-DDH-18-03	FME 53063	135.86	137.4	1.54	0.0005	29.6	245	0.0245	882	0.0882	0	14	0.54	2.43	17	35.8
M-DDH-18-03	FME 52661	137.4	138.2	0.8	0.0005	32.9	169.5	0.01695	603	0.0603	0	16	0.37	1.66	18	37.2
M-DDH-18-03	FME 52662	138.2	140.05	1.85	0.0005	47.6	395	0.0395	641	0.0641	0	23	0.87	1.76	26	53.1
M-DDH-18-03	FME 52663	140.05	141.55	1.5	0.0005	27.6	305	0.0305	1080	0.108	0	13	0.67	2.97	17	35.2
M-DDH-18-03	FME 52664	141.55	142.05	0.5	0.0005	46.1	864	0.0864	1300	0.13	0	22	1.90	3.58	28	57.5
M-DDH-18-03	FME 52666	142.05	143.55	1.5	0.0005	51.5	213	0.0213	183	0.0183	0	25	0.47	0.50	26	53.6
M-DDH-18-03	FME 52667	143.55	144.8	1.25	0.0005	52.6	422	0.0422	2250	0.225	0	25	0.93	6.19	33	67.4
M-DDH-18-03	FME 52668	144.8	145.9	1.1	0.0005	11.5	197	0.0197	877	0.0877	0	6	0.43	2.41	8	17.4
M-DDH-18-03	FME 53064	145.9	147.4	1.5	0.0005	15.75	138	0.0138	734	0.0734	0	8	0.30	2.02	10	20.6
M-DDH-18-03	FME 53065	147.4	148.9	1.5	0.0005	3.68	8	0.0008	140	0.014	0	2	0.02	0.39	2	4.6
M-DDH-18-03	FME 53066	148.9	150.4	1.5	0.001	1.54	16.6	0.00166	133	0.0133	0	1	0.04	0.37	1	2.5
M-DDH-18-03	FME 53067	150.4	151.9	1.5	0.004	4.95	9.1	0.00091	131	0.0131	0	2	0.02	0.36	3	6.1
M-DDH-18-03	FME 53068	151.9	153.4	1.5	0.0005	35.2	194	0.0194	330	0.033	0	17	0.43	0.91	18	38.0
M-DDH-18-03	FME 53069	153.4	154.7	1.3	0.007	3.78	6.4	0.00064	98	0.0098	0	2	0.01	0.27	2	4.9
M-DDH-18-03	FME 52669	154.7	155.6	0.9	0.0005	8.44	81.1	0.00811	146	0.0146	0	4	0.18	0.40	5	9.7
M-DDH-18-03	FME 52670	155.6	157.1	1.5	0.017	24.4	425	0.0425	1430	0.143	1	12	0.94	3.93	17	35.9
M-DDH-18-03	FME 52671	157.1	158.6	1.5	0.048	36.2	475	0.0475	2850	0.285	2	17	1.05	7.84	28	58.5
M-DDH-18-03	FME 52672	158.6	160.1	1.5	0.011	17.1	399	0.0399	931	0.0931	0	8	0.88	2.56	12	25.1
M-DDH-18-03	FME 52673	160.1	160.95	0.85	0.044	62.3	254	0.0254	542	0.0542	2	30	0.56	1.49	34	70.1
M-DDH-18-03	FME 52674	160.95	162.3	1.35	0.0005	50.4	133	0.0133	108	0.0108	0	24	0.29	0.30	25	51.7
M-DDH-18-03	FME 52675	162.3	163.3	1	0.003	207	196	0.0196	50	0.005	0	100	0.43	0.14	101	208.4
M-DDH-18-03	FME 52677	163.3	164.3	1	0.002	223	304	0.0304	91	0.0091	0	108	0.67	0.25	109	225.1
M-DDH-18-03	FME 52678	164.3	165.8	1.5	0.0005	93.5	126	0.0126	21	0.0021	0	45	0.28	0.06	45	94.2
M-DDH-18-03	FME 52679	165.8	167.3	1.5	0.016	134	738	0.0738	69	0.0069	1	65	1.62	0.19	67	139.1
M-DDH-18-03	FME 52680	167.3	168.75	1.45	0.0005	101	254	0.0254	41	0.0041	0	49	0.56	0.11	49	102.4
M-DDH-18-03	FME 52681	168.75	169.25	0.5	0.042	101	1800	0.18	825	0.0825	2	49	3.96	2.27	57	117.3
M-DDH-18-03	FME 52682	169.25	170.75	1.5	0.0005	58.2	188	0.0188	160	0.016	0	28	0.41	0.44	29	60.0
M-DDH-18-03	FME 52683	170.75	172.25	1.5	0.0005	23.4	153.5	0.01535	45	0.0045	0	11	0.34	0.12	12	24.4
M-DDH-18-07	FME-52881	57.95	59.55	1.6	0.0005	16.5	63.1	0.00631	855	0.0855	0	8	0.14	2.35	10	21.7
M-DDH-18-07	FME-52882	59.55	61	1.45	0.0005	21.2	65.1	0.00651	809	0.0809	0	10	0.14	2.22	13	26.2
M-DDH-18-07	FME-52883	61	62.15	1.15	0.0005	42.3	95.8	0.00958	565	0.0565	0	20	0.21	1.55	22	46.0
M-DDH-18-07	FME-52884	62.15	64.05	1.9	0.0005	103	384	0.0384	1090	0.109	0	50	0.84	3.00	54	111.0
M-DDH-18-07	FME-52885	64.05	65.55	1.5	0.0005	42.7	242	0.0242	1320	0.132	0	21	0.53	3.63	25	51.4
M-DDH-18-09	FME 52857	76.8	78.3	1.5	0.023	106	467	0.0467	764	0.0764	1	51	1.03	2.10	55	114.3
M-DDH-18-09	FME 52858	78.3	78.8	0.5	0.116	188	1005	0.1005	1410	0.141	4	91	2.21	3.88	101	209.9
M-DDH-18-09	FME 52859	78.8	80.3	1.5	0.082	162	123	0.0123	965	0.0965	3	78	0.27	2.65	84	174.6
M-DDH-18-09	FME 52860	80.3	81.8	1.5	0.003	63.6	234	0.0234	980	0.098	0	31	0.51	2.70	34	70.5
M-DDH-18-09	FME 52861	81.8	83.3	1.5	0.008	51.8	212	0.0212	515	0.0515	0	25	0.47	1.42	27	56.3

M-DDH-18-09	FME 52862	83.3	84.8	1.5	0.001	22.8	18.1	0.00181	151	0.0151	0	11	0.04	0.42	11	23.8
M-DDH-18-09	FME 52863	84.8	86.3	1.5	0.0005	14.9	72.9	0.00729	210	0.021	0	7	0.16	0.58	8	16.5
M-DDH-18-09	FME 52864	86.3	87.2	0.9	0.0005	17.95	67.8	0.00678	490	0.049	0	9	0.15	1.35	10	21.1
M-DDH-18-10	FME 52911	155.3	156.8	1.5	0.006	21.3	192.5	0.01925	182	0.0182	0	10	0.42	0.50	11	23.7
M-DDH-18-10	FME 52912	156.8	158.3	1.5	0.004	54.7	400	0.04	1120	0.112	0	26	0.88	3.08	30	63.2
M-DDH-18-10	FME 52913	158.3	159.8	1.5	0.001	1.92	12.5	0.00125	81	0.0081	0	1	0.03	0.22	1	2.5
M-DDH-18-10	FME 52914	159.8	161.3	1.5	0.002	11.35	14.4	0.00144	104	0.0104	0	5	0.03	0.29	6	12.2
M-DDH-18-11	FME 52944	23.3	23.8	0.5	0.0005	7.95	118	0.0118	333	0.0333	0	4	0.26	0.92	5	10.4
M-DDH-18-11	FME 52945	34.55	35.05	0.5	0.0005	9.59	363	0.0363	725	0.0725	0	5	0.80	1.99	7	15.4
M-DDH-18-11	FME 52946	45.05	46.7	1.65	0.0005	21.1	94.3	0.00943	212	0.0212	0	10	0.21	0.58	11	22.8
M-DDH-18-11	FME 52947	46.7	48.85	2.15	0.0005	38.1	261	0.0261	278	0.0278	0	18	0.57	0.76	20	40.9
M-DDH-18-11	FME 52949	48.85	50.05	1.2	0.0005	7.31	26.4	0.00264	472	0.0472	0	4	0.06	1.30	5	10.2
M-DDH-18-11	FME 52951	50.05	51.7	1.65	0.0005	6.05	12.3	0.00123	291	0.0291	0	3	0.03	0.80	4	7.8
M-DDH-18-11	FME 52952	51.7	53.15	1.45	0.0005	19.35	45.3	0.00453	515	0.0515	0	9	0.10	1.42	11	22.5
M-DDH-18-11	FME 52953	53.15	54.65	1.5	0.001	37.3	138.5	0.01385	660	0.066	0	18	0.30	1.82	20	41.8
M-DDH-18-11	FME 52954	54.65	56.15	1.5	0.0005	11.2	24	0.0024	577	0.0577	0	5	0.05	1.59	7	14.6
M-DDH-18-11	FME 52955	56.15	57.35	1.2	0.0005	16.75	20	0.002	1050	0.105	0	8	0.04	2.89	11	22.9
M-DDH-18-11	FME 52956	57.35	58.55	1.2	0.0005	101	365	0.0365	2550	0.255	0	49	0.80	7.01	57	117.3
M-DDH-18-11	FME 52957	58.55	60.2	1.65	0.038	247	746	0.0746	2740	0.274	1	119	1.64	7.54	130	269.1
M-DDH-18-11	FME 52958	60.2	61.6	1.4	0.0005	140	480	0.048	1620	0.162	0	68	1.06	4.46	73	151.5
M-DDH-18-11	FME 52959	61.6	62.75	1.15	0.0005	107	1085	0.1085	2140	0.214	0	52	2.39	5.89	60	124.2
M-DDH-18-11	FME 52961	62.75	63.25	0.8	0.013	674	1630	0.163	5860	0.586	1	325	3.59	16.12	345	716.0
M-DDH-18-11	FME 52962	63.25	64.05	1.6	0.048	951	3100	0.31	6040	0.604	2	459	6.82	16.61	484	1003.5
M-DDH-18-11	FME 52963	64.05	65.65	0.6	0.027	212	1185	0.1185	4030	0.403	1	102	2.61	11.08	117	242.6
M-DDH-18-11	FME 52964	65.65	66.25	0.85	0.016	114	1230	0.123	3970	0.397	1	55	2.71	10.92	69	143.5
M-DDH-18-11	FME 52965	66.25	67.1	0.85	0.039	123	430	0.043	1780	0.178	2	59	0.95	4.90	67	138.2
M-DDH-18-11	FME 52966	67.1	67.75	0.65	0.002	51.4	297	0.0297	3870	0.387	0	25	0.65	10.64	36	75.0
M-DDH-18-11	FME 52967	67.75	68.65	0.9	0.015	110	941	0.0941	4260	0.426	1	53	2.07	11.72	67	139.8
M-DDH-18-11	FME 52968	68.65	70.15	1.5	0.005	26.1	47.4	0.00474	611	0.0611	0	13	0.10	1.68	15	30.2
M-DDH-18-11	FME 52969	70.15	71.65	1.5	0.002	23.8	21.4	0.00214	235	0.0235	0	11	0.05	0.65	12	25.4
M-DDH-18-12	FME 52977	34.6	35.85	1.25	0.0005	43.3	130	0.013	316	0.0316	0	21	0.29	0.87	22	45.7
M-DDH-18-12	FME 52978	35.85	36.6	0.75	0.02	403	650	0.065	1320	0.132	1	194	1.43	3.63	200	415.1
M-DDH-18-12	FME 52979	36.6	37.1	0.5	0.0005	105	49.3	0.00493	757	0.0757	0	51	0.11	2.08	53	109.6
M-DDH-18-12	FME 52981	37.1	37.65	0.55	0.003	125	165.5	0.01655	1380	0.138	0	60	0.36	3.80	65	133.9
M-DDH-18-12	FME 52982	37.65	39.65	2	0.0005	71.5	160	0.016	1080	0.108	0	34	0.35	2.97	38	78.4
M-DDH-18-12	FME 52983	39.65	41.15	1.5	0.0005	96.1	133	0.0133	587	0.0587	0	46	0.29	1.61	48	100.1
M-DDH-18-12	FME 52984	41.15	42.7	1.55	0.0005	94.3	130	0.013	479	0.0479	0	45	0.29	1.32	47	97.7
M-DDH-18-12	FME 52985	42.7	44.2	1.5	0.0005	88.4	76.9	0.00769	351	0.0351	0	43	0.17	0.97	44	90.8
M-DDH-18-12	FME 52986	44.2	45.75	1.55	0.0005	58.8	28.8	0.00288	442	0.0442	0	28	0.06	1.22	30	61.5
M-DDH-18-12	FME 52987	45.75	47.3	1.55	0.0005	40.1	18.4	0.00184	190	0.019	0	19	0.04	0.52	20	41.3
M-DDH-18-12	FME 52988	47.3	48.8	1.5	0.0005	18.7	10.8	0.00108	169	0.0169	0	9	0.02	0.46	10	19.8
M-DDH-18-12	FME 52989	48.8	50.3	1.5	0.0005	18.4	24.4	0.00244	301	0.0301	0	9	0.05	0.83	10	20.3
M-DDH-18-12	FME 52991	50.3	51.85	1.55	0.0005	12.8	21	0.0021	118	0.0118	0	6	0.05	0.32	7	13.6
M-DDH-18-12	FME 52992	51.85	53.3	1.45	0.0005	35.6	166.5	0.01665	129	0.0129	0	17	0.37	0.35	18	37.1
M-DDH-18-12	FME 53011	138.2	140.3	2.1	0.007	10.5	179	0.0179	318	0.0318	0	5	0.39	0.87	7	13.7
M-DDH-18-12	FME 53012	140.3	141.8	1.5	0.0005	14.85	88.2	0.00882	642	0.0642	0	7	0.19	1.77	9	19.0
M-DDH-18-12	FME 53013	141.8	143.35	1.55	0.002	25.3	136	0.0136	2510	0.251	0	12	0.30	6.90	19	40.4

M-DDH-18-12	FME 53014	143.35	144.85	1.5	0.003	34.2	36.9	<u>0.00369</u>	1600	0.16	0	16	0.08	4.40	21	43.7
M-DDH-18-12	FME 53015	144.85	146.35	1.5	0.003	21.6	33.4	<u>0.00334</u>	1020	0.102	0	10	0.07	2.81	13	27.8
M-DDH-18-12	FME 53016	146.35	147.85	1.5	0.009	16	50	<u>0.005</u>	621	0.0621	0	8	0.11	1.71	10	20.5
M-DDH-18-12	FME 53017	147.85	148.65	0.8	0.009	27.5	30.9	<u>0.00309</u>	367	0.0367	0	13	0.07	1.01	15	30.5
M-DDH-18-12	FME 53018	148.65	149.15	0.5	0.007	30.9	162	<u>0.0162</u>	449	0.0449	0	15	0.36	1.23	17	34.8
M-DDH-18-12	FME 53019	149.15	149.7	0.55	0.003	35.5	104	<u>0.0104</u>	763	0.0763	0	17	0.23	2.10	20	40.6
M-DDH-18-12	FME 53021	149.7	150.6	0.9	0.011	21	80.2	<u>0.00802</u>	605	0.0605	0	10	0.18	1.66	12	25.7
M-DDH-18-12	FME 53022	150.6	151.5	0.9	0.007	14.55	141.5	<u>0.01415</u>	1920	0.192	0	7	0.31	5.28	13	26.7
M-DDH-18-12	FME 53023	151.5	152.5	1	0.015	19.65	94.3	<u>0.00943</u>	1260	0.126	1	9	0.21	3.47	14	28.5
M-DDH-18-12	FME 53024	152.5	153.45	0.95	0.028	25	167.5	<u>0.01675</u>	1070	0.107	1	12	0.37	2.94	16	34.1
M-DDH-18-12	FME 53025	153.45	154.4	0.95	0.072	58.1	1320	<u>0.132</u>	1940	0.194	3	28	2.90	5.34	39	81.0
M-DDH-18-12	FME 53026	154.4	155.55	1.15	0.634	80.9	3030	<u>0.303</u>	2360	0.236	24	39	6.67	6.49	77	158.9
M-DDH-18-12	FME 53027	155.55	156.35	0.8	0.01	24.3	1725	<u>0.1725</u>	1100	0.11	0	12	3.80	3.03	19	39.2
M-DDH-18-12	FME 53028	156.35	157.85	1.5	0.002	15.45	180	<u>0.018</u>	857	0.0857	0	7	0.40	2.36	10	21.3
M-DDH-18-12	FME 53029	157.85	158.6	0.75	0.014	12.45	109	<u>0.0109</u>	584	0.0584	1	6	0.24	1.61	8	17.4
M-DDH-18-12	FME 53031	158.6	160.1	1.5	0.046	13.85	252	<u>0.0252</u>	727	0.0727	2	7	0.55	2.00	11	22.8